BANGALORE DISTRICT.

Abstract Notification dated 30th July 1937.

The attention of the public is invited to the Notifications regarding (1) Grass lease in certain plantations, etc., (2) Thupra leaves lease in Anekal Taluk, (3) Honge leaves and seeds in certain Taluks of Bangalore District, published on pages 1257-1258, Part VI of the *Mysore Gazette*, dated 5th August 1937.

H. S. RANGACHAR,
District Forest Officer.

MYSORE DISTRICT.

Abstract Notification dated the 27th July 1937.

The attention of the public is invited to the detailed Notification published on pages 1258-1259, Part VI of the *Mysore Gazette*, dated 5th August 1937, regarding the sale of the right of collecting Tupra leaves during 1937-40 pertaining to Gundlupet and Nanjangud and Chamarajanagar Taluks to be held at 2 P.M., on the following dates at the respective places.

Name of Taluk	Date of sale	Place of sale
Gundlupet and Nanjangud ..	24th August 1937 ..	Forest Range Office, Gundlupet.
Chamarajanagar ..	26th August 1937 ..	Forest Sub-Division Officer's Office, Chamarajanagar.

Abstract Notification dated 29th July 1937.

The attention of the public is invited to the detailed Notification dated the 12th instant regarding the sale of timber in the following Depots published on pages 1259-1260, Part VI of the *Mysore Gazette*, dated 5th August 1937.

Name of Depot	Date of sale	Teak	Honne	Bite	Mathi	Other kinds	Remarks
		C.ft.	C.ft.	C.ft.	C.ft.	C.ft.	
1. Hunsur	27-8-1937 ..	4,000	500	100	..	..	
2. Antersanthe	25-8-1937 ..	4,000	500	350	500	500	
3. Periyapatna	28-8-1937 ..	3,500	200	300	..	..	
4. Santemarahalli	31-8-1937 ..	800	650	..	475	..	
5. Chamarajnagar	6-9-1937 ..	2,000	1,000	2,600	3,000	..	

K. REVANNA,
District Forest Officer.

BUILDINGS DIVISION, BANGALORE.

Notification dated 14th August 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 3rd September 1937, for constructing a building for Medical Association at Fort, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

(Rates should be quoted both in words and figures; if not, the tender will not be accepted.)

4. Each tender must be accompanied by a deposit of rupees 450 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for constructing a building for Medical Association at Fort, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for the construction of a building for Medical Association at Fort, Bangalore.

No.	Items of work	Per	Rate	Quantity	Rate to be quoted
			Rs. a. p.		
1	Earthwork excavation and filling in basement with watering and tamping, etc., complete ..	C.yd.	0 3 6	185	
2	Sand piling the foundation with drawing piles with sand and watering	Sqr.	3 0 0	1,028	
3	Filling in loose pockets with sand and boulders	100 C.ft.	7 4 0	522	
4	Burnt stone jelly concrete in lime mortar ..	,,	0 3 6	2,165	
5	Size stone in mortar with through bond stones at 6' apart for foundation	C.ft.	0 4 0	1,459	
6	Size stone in mortar for basement with quions dressing and through bond stones at 6' apart	,,	0 4 6	947	
7	Burnt stone slabs 6" thick for basement dressed and fixed, the exposed portions 2 lines dressed	S.ft.	0 7 0	437	
8	Burnt brick in lime mortar superstructure ..	C.ft.	0 4 0	3,280	
(b)	R.C.C. partition walls 3" thick for side rooms of hall with necessary plastering, etc., complete	S.ft.	0 8 0	209	
9	Circular pillars with wire cut bricks in mortar, with base and capital including plastering (10 ft. height), etc., complete	No.	30 0 0	6	
10	Arch work with burnt brick in mortar as per deductions in superstructure	C.ft.	0 5 0	430	
11	Burnt stone slabs roughly dressed and fixed in mortar	S.ft.	0 5 0	443	
12	New teakwood door frame $3\frac{1}{2}"\times5"$ and $\frac{1}{3}$ pannelled and $\frac{2}{3}$ glazed $1\frac{1}{2}"$ thick shutters with parliamentary hinges, etc., complete ..	S.ft.	2 0 0	263	
13	Teakwood windows, frame $3\frac{1}{2}"\times5"$ and shutters $1\frac{1}{4}"$ thick, four halves with glazed shutters and with parliamentary hinges, iron fittings, etc., complete	,,	1 12 0	308	
(b)	R.C.C. ventilators with teakwood frame as per design	,,	1 8 0	104	
14	Sun shades projection with stone slabs 2 line dressed on all exposed portions over windows and ventilators	,,	0 12 0	126	
15	Rolled steel girders Tata's tested, hoisting and fixing over front verandah pillars ..	Cwts.	13 0 0	5.5	
(a)	Boxing girders with brick and cement concrete and cement plastered alround	C.ft.	1 0 0	19	

No.	Items of work	Per	Rate	Quantity	Rate to be quoted
			Rs. a. p.		
16	Roofing with hallow bricks with necessary reinforcements and cement concrete 2″ at top and roof finish with plastering, top and bottom	Square	75 0 0	7.24	
(*a*)	Casting R.C.C. hallow girders as per specification for a clear span of 25′ with R.C.C. roof finished with plastering at bottom and surki concrete at top, plastering, etc., complete	do	150 0 0	14.45	
16(*b*)	Parapet wall with R.C.C. pannel work as per design with blocking course at bottom coping slab at top	R.ft.	1 12 0	18	
17	Parapet wall with brick in mortar 9″ thick 1½ ft. height as per design including plastering ..	R.ft.	1 4 0	302	
18	Cornice work with burnt brick in mortar front and rear as per design	,,	0 5 0	188	
(*b*)	False balustrated parapet wall below windows in front as per design	R.ft.	2 8 0	10	
19	Burnt stone slabs 6″ thick for steps in front, exposed portions 2 line dressed and fixed in mortar and cement pointed	S.ft.	0 12 0	105	
20	Chunam plastering 2 coats to brick wall ..	Sqr.	3 4 0	58.48	
(*a*)	Cement pointing to masonry basement ..	,,	3 0 0	4.70	
21	Silicate painting 2 coats to windows ..	Sqr.	4 0 0	6.70	
22	White and colour washing 2 coats as per plastering	,,	0 5 0	76.98	
23	Jension distemper wash 2 coats	,,	0 12 0	34.87	
24	Water spouts down takes as per design fixed in cement mortar	No.	3 0 0	14	
25	Varnishing 2 coats	Sqr.	5 0 0	6.58	
26	Preparing dias platform by filling the gap height with sand and watering and top cement concrete 1½″ thick, cement plastering and finished with red colour	S.ft.	0 5 0	153	
27	Flooring with cement concrete 1½″ thick over 3″ stone jelly concrete and top finished off with cement plastering with red colour ..	Sqr.	26 0 0	17.62	
28	Preparing cills of windows with composite mortar over 1″ thick cement concrete ..	S.ft.	0 2 0	117	
29	Putting a name slab engraved as per design 3 line dressed	L. S. Rs.	.. ..	..	
30	Pulling up a flag staff with necessary arrangements	,,	..	..	
31	Levelling and forming the surroundings ..	,,	..	..	

Notification dated 17th August 1937.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Buildings Division, up to 2 P.M. on 3rd September 1937 for improving six officers' quarters and other minor improvements at Mysore Lancers, Hebbal, Bangalore. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of November 1937.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Buildings Division, Bangalore, between the hours of 11 A.M. and 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 350 in cash or Government Promissory Notes as earnest money, and be superscribed "Tender for Improving six Officers'

Quarters and other Minor Improvements at Mysore Lancers, Hebbal, Bangalore," in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Executive Engineer's Office in due course. No enquiry regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates once tendered will not be enhanced on any account.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the department or those fixed by the Executive Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of dispute about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Executive Engineer will be final and legally binding.

12. Quotations must be given in words as well as in figures and they must be in specific term of unit shown against each item of work. Any quotation quoted at so much percentage less or more than estimated rate will not be accepted.

Abstract estimate for improving six officers' quarters at Mysore Lancers, Hebbal, 37-38 and other minor improvements to quarters, etc.

No.	Items of work	Unit	Rate	Quantity	Cost
	Details for one Quarter.		Rs. a. p.		
1	Dismantling brick masonry and removing debris.	C.ft.	0 0 3	411	
1(*a*)	Cutting and removing Mangalore-tiled roof and stocking	Sqr.	1 0 0	3.48	
2	Earthwork excavation and filling in basement and tamping, etc., complete	C.yd.	0 3 6	11	
3	Burnt stone in clay	C.ft.	0 3 3	395	
4	Burnt brick in clay with half old and half new bricks	,,	0 2 3	576	
5	Burnt brick in mortar	,,	0 4 6	280	
6	Burnt stone slabs 5" to 6" thick roughly dressed and fixed, etc., complete	S.ft.	0 4 6	173	
7	Doors old removed and repaired and refixed ..	,,	0 2 6	46	
8	T. W. new doors with frame 3"×4" and penelled shutters complete with iron fittings ..	,,	1 6 0	23	
9	T. W. windows old, removed, repaired and refixed	,,	0 3 0	18	
10	T. W. new windows with iron bars and panelled shutters, etc., complete with fittings ..	,,	1 8 0	40	
11	Roofing with reinforced brick, concrete 3" thick on top 2 courses of flat tiles and plastering top and bottom, etc., complete	Sqrs.	55 0 0	5.69	
12	Plastering with chunam mortar	Sqrs.	3 0 0	16·22	
13	Chocolate painting 2 coats	,,	3 0 0	2·53	
14	Flooring with 1½" thick cement concrete over 3" concrete bed cement plastering and red ochre finish, etc., complete	,,	20 0 0	4.58	
15	Pointing with cement mortar	,,	2 4 0	0.59	
16	Cornice work as per design 6" to 8"	R.ft.	0 8 0	58	
17	Parapet wall 1½'×½ base ×¾'×1¼' in brick in mortar plastering, etc., complete ..	,,	0 14 0	56	
18	Zinc sheet down take pipes with bends and fixing 4" diar.	,,	0 8 0	48	
19	Providing cornice at the eaves of tiled roof ..	,,	0 8 0	42	
20	White and colour washing 2 coats	Sqr.	0 4 0	16·22	

No.	Items of work	Unit	Rate	Quantity	Cost
			Rs. a. p.		
	Constructing a Bath Room to Captain Basavaraj Urs Quarters.				
1	Earthwork excavation and forming	C.yd.	0 3 6	3	
2	Burnt stone in clay	C.ft.	0 3 3	98	
3	Burnt brick in clay	,,	0 3 3	99	
4	Brunt brick in mortar	,,	0 4 6	67	
5	Burnt stone slabs 5″ to 6″ thick	S.ft.	0 4 6	68	
6	T. W. doors with frame 3″ to 4″ thick panelled shutters and iron fittings, etc., complete ..	,,	1 6 0	35	
7	T. W. ventilators with iron bars and battened shutters, etc., complete	,,	1 8 0	6	
8	Dismantling wall	C.ft.	0 0 3	29	
9	Roofing with reinforced brick concrete roof 3″ concrete on top 2 courses of flat tiles and plastering, etc., complete	Sqr.	55 0 0	49	
10	Chunam plastering	Sqr.	3 0 0	3·94	
11	Chocolate painting 2 coats	,,	3 0 0	6·81	
12	Flooring with 1½″ cement concrete on 3″ concrete in mortar cement plastering ½″ with red ochre, etc., complete	Sqr.	20 0 0	0·36	
13	Pointing with cement mortar	,,	2 4 0	0·26	
14	Cornice as per design	R.ft.	0 8 0	21	
15	Parapet wall 1½′×½′ base + ¾′×1¼′ with plastering, etc., complete	,,	0 14 0	19	
16	Zinc down take pipe 4″ diar. etc., complete ..	,,	0 8 0	20	
17	White and colour washing	Sqr.	0 4 0	3·93	
	Minor Improvements in Lt. Jorwersingh's Quarters.				
1	Dismantling wall	C.ft.	0 0 3	43	
2	T. W. door with panelled shutters with iron fittings, etc., complete	S.ft.	1 6 0	23	
3	T. W. windows with iron bars and panelled shutters and iron fittings, etc., complete ..	,,	1 8 0	9	
4	Burnt brick in mortar old	C.ft.	0 3 0	5	
5	Plastering with chunam mortar	Sqrs.	3 0 0	0·73	
6	Burnt stone slabs	S.ft.	0 4 6	20	
7	Chocolate painting 2 coats	Sqr.	3 0 0	0·64	

B. R. GARUDACHAR,
Executive Engineer.

KOLAR DIVISION.

Abstract Notification dated 29th July 1937.

The attention of the public is invited to the notification on pages 1269-1271, Part VI of the issue of *Mysore Gazette*, dated 5th August 1937, inviting tenders for the work of construction of a building for Urdu Girls' School at Oorgaum, Kolar Gold Fields.

The last date fixed for the receipt of tender in this office is 12 noon on 23rd August 1937.

P. RAJAGOPALAN,
Executive Engineer.